ELSEVIER

Ultramicroscopy 53 (1994) 381–382

ultramicroscopy

Author index to volume 53

Ashenford, D.A., see Hutchison 53 (1994) 91

Bangert, H., see Schattschneider 53 (1994) 181
Berger, S.D., see Eaglesham 53 (1994) 319
Block, J.H., see Medvedev 53 (1994) 27
Bruley, J., see Müllejans 53 (1994) 351

Casanove, M.-J., see Hutchison 53 (1994) 91
Cerva, H., see Thoma 53 (1994) 37
Cherns, D., see Hutchison 53 (1994) 91
Cherns, D. and J.P. Morniroli, Analysis of partial and stair-rod dislocations by large angle convergent beam electron diffraction 53 (1994) 167
Chou, C.T., see Hutchison 53 (1994) 91
Cowley, J.M., see Liu 53 (1994) 333

Daykin, A.C., see Xiao 53 (1994) 325
Doukhan, J.C., see Van Cappellen 53 (1994) 343
Duan, X.F., see Xin 53 (1994) 159

Eaglesham, D.J. and S.D. Berger, Energy filtering the "thermal diffuse" background in electron diffraction 53 (1994) 319
Endo, J., see Ru 53 (1994) 1
Engel, A., see Schabert 53 (1994) 147
Ernst, F., see Hofmann 53 (1994) 205

Frank, J., see Penczek 53 (1994) 251

Gajdardziska-Josifovska, M., see McCartney 53 (1994) 283
Gajdardziska-Josifovska, M. and M.R. McCartney, Elimination of thickness dependence from medium resolution electron holograms 53 (1994) 291
Gibson, J.M., see Twesten 53 (1994) 223
Grassucci, R.A., see Penczek 53 (1994) 251

Häring, R., see Schabert 53 (1994) 147
Hofmann, D. and F. Ernst, Quantitative high-resolution transmission electron microscopy of the incoherent Σ3 (211) boundary in Cu 53 (1994) 205
Hutchison, J.L., C.T. Chou, M.-J. Casanove, D. Cherns, J.W. Steeds, D.A. Ashenford and B. Lunn, HREM of Ga_2Te_3: imaging of an ordered vacancy superlattice with enhanced contrast 53 (1994) 91
Hÿtch, M.J. and W.M. Stobbs, The use of non-linear characteristics of a lattice fringe image for the characterisation of imaging parameters 53 (1994) 63
Hÿtch, M.J. and W.M. Stobbs, Quantitative comparison of high resolution TEM images with image simulations 53 (1994) 191

Ishizuka, K., Resolution improvement by tilted single-sideband holography: preliminary experiments 53 (1994) 9
Ishizuka, K., Number of sampling points required for aberration correction using off-axis electron holography 53 (1994) 297
Ishizuka, K., T. Tanji, A. Tonomura, T. Ohno and Y. Murayama, Aberration correction using off-axis holography. I. Aberration assessment 53 (1994) 361

Jayaram, G., see Xu 53 (1994) 15
Jefferson, D.A., see Tang 53 (1994) 137
Jouffrey, B., see Schattschneider 53 (1994) 181

Karrasch, S., see Schabert 53 (1994) 147
Kirkland, A.I., see Tang 53 (1994) 137
Knapp, H., see Schabert 53 (1994) 147

Lentzen, M., see Thust 53 (1994) 101
Lichte, H., see Schweda 53 (1994) 53
Liu, M. and J.M. Cowley, Structures of carbon nanotubes studied by HRTEM and nanodiffraction 53 (1994) 333
Lunn, B., see Hutchison 53 (1994) 91

Marks, L.D., see Xu 53 (1994) 15
Matteucci, G. and M. Muccini, On electron holographic mapping of electric and magnetic fields: recording and processing problems and field information reliability 53 (1994) 19
McCartney, M.R. and M. Gajdardziska-Josifovska, Absolute measurement of normalized thickness, t/λ_i, from off-axis electron holography 53 (1994) 283

Elsevier Science B.V.

McCartney, M.R., see Gajdardziska-Josifovska 53 (1994) 291
Medvedev, V.K., Yu. Suchorski and J.H. Block, Lithium field desorption microscope: a new tool for surface investigations 53 (1994) 27
Midgley, P.A., see Vincent 53 (1994) 271
Möller, M., see Sheiko 53 (1994) 371
Morniroli, J.P., see Cherns 53 (1994) 167
Morniroli, J.P., see Redjaïmia 53 (1994) 305
Muccini, M., see Matteucci 53 (1994) 19
Müllejans, H. and J. Bruley, Improvements in detection sensitivity by spatial difference electron energy-loss spectroscopy at interfaces in ceramics 53 (1994) 351
Murayama, Y., see Ishizuka 53 (1994) 361

Ohno, T., see Ishizuka 53 (1994) 361
Osakabe, N., see Ru 53 (1994) 1

Penczek, P.A., R.A. Grassucci and J. Frank, The ribosome at improved resolution: new techniques for merging and orientation refinement in 3D cryo-electron microscopy of biological particles 53 (1994) 251

Radermacher, M., Three-dimensional reconstruction from random projections: orientational alignment via Radon transforms 53 (1994) 121
Redjaïmia, A. and J.P. Morniroli, Application of microdiffraction to crystal structure identification 53 (1994) 305
Reuvekamp, E.M.C.M., see Sheiko 53 (1994) 371
Richter, K., High-density morphologies of ice in high-pressure frozen biological specimens 53 (1994) 237
Ru, Q., N. Osakabe, J. Endo and A. Tonomura, Electron holography available in a non-biprism transmission electron microscope 53 (1994) 1

Schabert, F., H. Knapp, S. Karrasch, R. Häring and A. Engel, Confocal scanning laser – scanning probe hybrid microscope for biological applications 53 (1994) 147
Schattschneider, P., B. Jouffrey, Ch. Tischler and H. Bangert, The chromatic image shift in spatially resolved EELS 53 (1994) 181
Schweda, E., J. Strähle, H. Lichte and E. Völkl, Combination of high-resolution electron imaging and holography in the investigation of the modulated structure of $Zr_4ON_3F_5$ 53 (1994) 53
Sheiko, S.S., M. Möller, E.M.C.M. Reuvekamp and H.W. Zandbergen, Evaluation of the probing profile of scanning force microscopy tips 53 (1994) 371
Steeds, J.W., see Hutchison 53 (1994) 91
Stobbs, W.M., see Hÿtch 53 (1994) 63
Stobbs, W.M., see Hÿtch 53 (1994) 191
Strähle, J., see Schweda 53 (1994) 53
Su, D.S., M. Swoboda and E. Zeitler, Single-electron excitation of amorphous carbon observed with energy filter 53 (1994) 97
Suchorski, Yu., see Medvedev 53 (1994) 27
Swoboda, M., see Su 53 (1994) 97

Tang, D., A.I. Kirkland and D.A. Jefferson, Optimisation of high-resolution image simulations. II. Image selection in reciprocal space 53 (1994) 137
Tanji, T., see Ishizuka 53 (1994) 361
Thoma, S. and H. Cerva, Comparison of the information content in ⟨110⟩- and ⟨100⟩-projected high-resolution transmission electron microscope images for the quantitative analysis of AlAs/GaAs interfaces 53 (1994) 37
Thust, A., M. Lentzen and K. Urban, Nonlinear reconstruction of the exit plane wave function from periodic high-resolution electron microscopy images 53 (1994) 101
Tischler, Ch., see Schattschneider 53 (1994) 181
Tonomura, A., see Ru 53 (1994) 1
Tonomura, A., see Ishizuka 53 (1994) 361
Twesten, R.D. and J.M. Gibson, Kinematic analysis of transmission electron diffraction data from Si(111)-7 × 7 53 (1994) 223

Urban, K., see Thust 53 (1994) 101

Van Cappellen, E. and J.C. Doukhan, Quantitative transmission X-ray microanalysis of ionic compounds 53 (1994) 343
Vincent, R. and P.A. Midgley, Double conical beam-rocking system for measurement of integrated electron diffraction intensities 53 (1994) 271
Völkl, E., see Schweda 53 (1994) 53

Wang, Z.L., Dislocation contrast in high-angle hollow-cone dark-field TEM 53 (1994) 73

Xiao, H.Z. and A.C. Daykin, Extra diffractions caused by stacking faults in cubic crystals 53 (1994) 325
Xin, Y. and X.F. Duan, Reasonably good images of dislocations in LACBED patterns and effects of dislocation strain fields on the Bragg lines 53 (1994) 159
Xu, P., G. Jayaram and L.D. Marks, Cross-correlation method for intensity measurement of transmission electron diffraction patterns 53 (1994) 15

Zandbergen, H.W., see Sheiko 53 (1994) 371
Zeitler, E., see Su 53 (1994) 97

Subject guide to volume 53

General methods in microscopy
High resolution transmission electron microscopy (HRTEM)
High voltage electron microscopy (HVEM)
Holography
Exit wave reconstruction
Three-dimensional reconstruction and stereo microscopy
Electron diffraction
Electron energy loss spectroscopy (EELS)
X-ray microanalysis
Miscellaneous methods

Specimen-related methods
Microscopic methods, specifically for catalysts and small particles
Microscopic methods, specifically for solid interfaces and multilayers
Microscopic methods, specifically for surfaces
Cryomicroscopic methods

Tools
Electron microscope design and characterization
Tip scanning instrument design and characterization
Instrument control and alignment
Miscellaneous instruments

Theories
Electron diffraction and elastic scattering theory, image simulation
Inelastic electron scattering theory

ELSEVIER

Ultramicroscopy 53 (1994) 384–386

ultramicroscopy

Subject index to volume 53

Cryomicroscopic methods

High-density morphologies of ice in high-pressure frozen biological specimens, *Richter* 53 (1994) 237

The ribosome at improved resolution: new techniques for merging and orientation refinement in 3D cryo-electron microscopy of biological particles, *Penczek, Grassucci and Frank* 53 (1994) 251

Electron diffraction

Cross-correlation method for intensity measurement of transmission electron diffraction patterns, *Xu, Jayaram and Marks* 53 (1994) 15

Reasonably good images of dislocations in LACBED patterns and effects of dislocation strain fields on the Bragg lines, *Xin and Duan* 53 (1994) 159

Analysis of partial and stair-rod dislocations by large angle convergent beam electron diffraction, *Cherns and Morniroli* 53 (1994) 167

Kinematic analysis of transmission electron diffraction data from Si(111)-7 × 7, *Twesten and Gibson* 53 (1994) 223

Double conical beam-rocking system for measurement of integrated electron diffraction intensities, *Vincent and Midgley* 53 (1994) 271

Application of microdiffraction to crystal structure identification, *Redjaïmia and Morniroli* 53 (1994) 305

Energy filtering the "thermal diffuse" background in electron diffraction, *Eaglesham and Berger* 53 (1994) 319

Extra diffractions caused by stacking faults in cubic crystals, *Xiao and Daykin* 53 (1994) 325

Structures of carbon nanotubes studied by HRTEM and nanodiffraction, *Liu and Cowley* 53 (1994) 333

Electron diffraction and elastic scattering theory, image simulation

Optimisation of high-resolution image simulations. II. Image selection in reciprocal space, *Tang, Kirkland and Jefferson* 53 (1994) 137

Quantitative comparison of high resolution TEM images with image simulations, *Hÿtch and Stobbs* 53 (1994) 191

Electron energy loss spectroscopy (EELS)

Single-electron excitation of amorphous carbon observed with energy filter, *Su, Swoboda and Zeitler* 53 (1994) 97

The chromatic image shift in spatially resolved EELS, *Schattschneider, Jouffrey, Tischler and Bangert* 53 (1994) 181

Energy filtering the "thermal diffuse" background in electron diffraction, *Eaglesham and Berger* 53 (1994) 319

Improvements in detection sensitivity by spatial difference electron energy-loss spectroscopy at interfaces in ceramics, *Müllejans and Bruley* 53 (1994) 351

Electron microscope design and characterization

Double conical beam-rocking system for measurement of integrated electron diffraction intensities, *Vincent and Midgley* 53 (1994) 271

Aberration correction using off-axis holography. I. Aberration assessment, *Ishizuka, Tanji, Tonomura, Ohno and Murayama* 53 (1994) 361

Exit wave reconstruction

Resolution improvement by tilted single-sideband holography: preliminary experiments, *Ishizuka* 53 (1994) 9

Non-linear reconstruction of the exit plane wave function from periodic high-resolution electron microscopy images, *Thust, Lentzen and Urban* 53 (1994) 101

Number of sampling points required for aberration correction using off-axis electron holography, *Ishizuka* 53 (1994) 297

Aberration correction using off-axis holography. I. Aberration assessment, *Ishizuka, Tanji, Tonomura, Ohno and Murayama* 53 (1994) 361

High resolution transmission electron microscopy (HRTEM)

Comparison of the information content in ⟨110⟩- and ⟨100⟩-projected high-resolu-

Elsevier Science B.V.

tion transmission electron microscope images for the quantitative analysis of AlAs/GaAs interfaces, *Thoma and Cerva* 53 (1994) 37
Combination of high-resolution electron imaging and holography in the investigation of the modulated structure of $Zr_4ON_3F_5$, *Schweda, Strähle, Lichte and Völkl* 53 (1994) 53
The use of non-linear characteristics of a lattice fringe image for the characterisation of imaging parameters, *Hÿtch and Stobbs* 53 (1994) 63
HREM of Ga_2Te_3: imaging of an ordered vacancy superlattice with enhanced contrast, *Hutchison, Chou, Casanove, Cherns, Steeds, Ashenford and Lunn* 53 (1994) 91
Quantitative comparison of high resolution TEM images with image simulations, *Hÿtch and Stobbs* 53 (1994) 191
Quantitative high-resolution transmission electron microscopy of the incoherent Σ3 (211) boundary in Cu, *Hofmann and Ernst* 53 (1994) 205

High voltage electron microscopy (HVEM)
Quantitative high-resolution transmission electron microscopy of the incoherent Σ3 (211) boundary in Cu, *Hofmann and Ernst* 53 (1994) 205

Holography
Electron holography available in a non-biprism transmission electron microscope, *Ru, Osakabe, Endo and Tonomura* 53 (1994) 1
Resolution improvement by tilted single-sideband holography: preliminary experiments, *Ishizuka* 53 (1994) 9
On electron holographic mapping of electric and magnetic fields: recording and processing problems and field information reliability, *Matteucci and Muccini* 53 (1994) 19
Combination of high-resolution electron imaging and holography in the investigation of the modulated structure of $Zr_4ON_3F_5$, *Schweda, Strähle, Lichte and Völkl* 53 (1994) 53
Absolute measurement of normalized thickness, t/λ_i, from off-axis electron holography, *McCartney and Gajdardziska-Josifovska* 53 (1994) 283
Elimination of thickness dependence from medium resolution electron holograms, *Gajdardziska-Josifovska and McCartney* 53 (1994) 291
Number of sampling points required for aberration correction using off-axis electron holography, *Ishizuka* 53 (1994) 297
Aberration correction using off-axis holography. I. Aberration assessment, *Ishizuka, Tanji, Tonomura, Ohno and Murayama* 53 (1994) 361

Inelastic electron scattering theory
Single-electron excitation of amorphous carbon observed with energy filter, *Su, Swoboda and Zeitler* 53 (1994) 97
Energy filtering the "thermal diffuse" background in electron diffraction, *Eaglesham and Berger* 53 (1994) 319

Instrument control and alignment
The use of non-linear characteristics of a lattice fringe image for the characterisation of imaging parameters, *Hÿtch and Stobbs* 53 (1994) 63
The chromatic image shift in spatially resolved EELS, *Schattschneider, Jouffrey, Tischler and Bangert* 53 (1994) 181

Microscopic methods, specifically for catalysts and small particles
Structures of carbon nanotubes studied by HRTEM and nanodiffraction, *Liu and Cowley* 53 (1994) 333

Microscopic methods, specifically for solid interfaces and multilayers
Comparison of the information content in ⟨110⟩- and ⟨100⟩-projected high-resolution transmission electron microscope images for the quantitative analysis of AlAs/GaAs interfaces, *Thoma and Cerva* 53 (1994) 37

Microscopic methods, specifically for surfaces
Kinematic analysis of transmission electron diffraction data from Si(111)-7 × 7, *Twesten and Gibson* 53 (1994) 223

Miscellaneous instruments
Lithium field desorption microscope: a new tool for surface investigations, *Medvedev, Suchorski and Block* 53 (1994) 27

Miscellaneous methods
Dislocation contrast in high-angle hollow-cone dark-field TEM, *Wang* 53 (1994) 73

Tip scanning instrument design and characterization
Confocal scanning laser – scanning probe hybrid microscope for biological applications, *Schabert, Knapp, Karrasch, Häring and Engel* 53 (1994) 147
Evaluation of the probing profile of scanning force microscopy tips, *Sheiko, Möller, Reuvekamp and Zandbergen* 53 (1994) 371

Three-dimensional reconstruction and stereo microscopy
Three-dimensional reconstruction from random projections: orientational alignment via Radon transforms, *Radermacher* 53 (1994) 121

The ribosome at improved resolution: new techniques for merging and orientation refinement in 3D cryo-electron microscopy of biological particles, *Penczek, Grassucci and Frank* 53 (1994) 251

X-ray microanalysis

Quantitative transmission X-ray microanalysis of ionic compounds, *Van Cappellen and Doukhan* 53 (1994) 343